## Contents

ant	or I: Family planning—aypanding the chaices	
ари	er 1: Family planning—expanding the choices	
As	the end-users see it	
120	Contraceptive methods—selecting, staying, stopping, switching	
Sa	fety of existing family planning methods	
	The safety of implants	
-	The safety of progestin-only contraceptives	
-	The safety of intrauterine devices (IUDs)	
	The safety of vasectomy	
Eff	ficacy of existing family planning methods	
÷	The effectiveness of the female condom	
Ex	panding choice through new or better methods	
	Emergency contraception	
-	Male hormonal contraceptives	
- 1	Immunocontraception for women	
Во	xes	
	1.1. Endometrial bleeding—back to basics	
	1.2. Team work for implantation research	
	1.3. Intrauterine devices—any time	
Fig	gures	
	1.1. Percentages of women discontinuing use of contraceptive methods within one year of starting	
	1.2. Percentage of men who have undergone vasectomy in New Zealand, by age-group	
	1.3. Countries using levonorgestrel alone for emergency contraception	
	1.4. Effect on pregnancy rates of delay in taking 10 mg or 25 mg of mifepristone after unprotected sexual intercourse (data from a multicentre study in China)	
	<ol> <li>Sperm concentrations in men receiving testosterone undecanoate during a multicentre trial in China</li> </ol>	
	1.6. Sperm concentrations in men receiving testosterone undecanoate (TU), either alone or with depot-medroxyprogesterone acetate (DMPA). during a trial in Indonesia	
Tal	bles	
	1.1. The cumulative ten-year probability (as of June 2001), expressed as a percentage, of a woman discontinuing the TCu-380A and Multiload-375 intrauterine devices, by reason for discontinuing.	
	by reason for discontinuing  1.2. The cumulative six-year probability (as of December 2001), expressed as a percentage, of a woman discontinuing the TCu-380A intrauterine device and the Mirena	
	levonorgestrel-releasing device	

Chapter 2: Making pregnancy safer	25
Improving maternal health	26
- Preventing eclampsia	26
<ul> <li>Identifying the most effective antenatal care strategy</li> </ul>	27
- Reducing postpartum haemorrhage	28
- Reducing unnecessary caesarean sections	28
Measuring maternal mortality and its causes	28
Boxes	*
2.1. The best evidence at a click	29
Figures	
<ol><li>Number of subscriptions, by WHO region, to the WHO Reproductive Health Library during the reporting biennium</li></ol>	29
Tables	
2.1. Causes of maternal and neonatal deaths, and principal interventions required	26
Chapter 3: Preventing reproductive tract infections	31
Manning the providence of reproductive treet infections	32
Preventing reproductive tract infections	33
	25000
- Condoms for men - Condoms for women	· 33
- Microbicides and spermicides	34
Human papillomavirus and cervical cancer	34
Preventing HIV infection	35
Boxes	
3.1. Preventing mother-to-child transmission of HIV—an expert view	35
Tables	
3.1. Estimated annual incidence of curable sexually transmitted infections worldwide for 1999 (the latest year for which reliable data are available)	32
3.2. Estimated annual incidence and incidence rate of curable sexually transmitted infections in the 15–49-year age-group by region and worldwide for 1999	20
(the latest year for which reliable data are available)  3.3. Rate (%) of mother-to-child transmission of HIV in relation to breastfeeding	32 36
3.3. Nate (%) of mother-to-child transmission of the intreaction to breastreeding	30
Chapter 4: Preventing unsafe abortion	37
Safe abortion everywhere—without surgery	38
The dynamics and determinants of abortion	38
- Family planning and preference for male babies	38
- Medicine vs surgery	40

- Emergency contraception vs abortion	40
- Legal constraints	41
- Physicians vs non-physicians	41
Boxes	
4.1. Smaller is better for medical abortion	39
Tables	
4.1. Preferences between medical and surgical abortion among 400 women with experience of both methods, interviewed in Tianjin, China	40
Chapter 5: Exploring adolescent reproductive health	43
Risky sexual behaviour	43
Adolescents in vulnerable settings	44
Unwanted or non-consensual sexual activity	44
Consequences of risky sexual behaviour	45
Obstacles to seeking care	45
Figures	
5.1. Percentages of adolescents reporting sexual coercion in a study in Nigeria	45
1946	
Chapter 6: Cooperating with countries	47
Working with regions	47
- Africa and the Eastern Mediterranean	49
- The Americas - Asia and the Pacific	51 53
- Eastern and Central Europe	53
Working with countries	54
	1.4.4
Boxes 6.1. Grants for building research capacity	49
6.2. Workshops debate ethics	51
6.3. Female genital mutilation	52
6.4. A patient path from research to public policy	54
6.5. Countries using the HRP strategic approach	56
6.6. Women's and men's rights in reproductive health	57
Figures	
6.1. During the 2000–2001 biennium, 123 research centres in 59 countries (shaded in this map) participated in HRP activities and/or received some form of support from HRP. Together they make up HRP's global research network	48

6.2. Estimated prevalence rates of female genital mutilation in Africa	52
6.3. A "systems framework", that HRP has borrowed from business management to develop its "strategic approach" to countries wishing to improve the quality of	
reproductive health care they provide to their populations	55
Tables	
6.1. Numbers of HRP grants awarded to institutions during the 2000–2001 biennium, by region and type of grant	50
6.2. Numbers of researchers who received individual HRP research training grants during the 2000–2001 biennium, by sex, research area, and region	50
Annex I: Financial overview for the biennium 2000-2001	
Sources of income	59
Figures	-1
I.1. Funds received in relation to approved budgets during 1988–2001	59
Tables	
I.1. HRP income, 1970–2001	60
Annex II: Centres collaborating with HRP during 2000–2001	61
Annex III: HRP Staff, December 2001	67