Table of Contents

WORLD HEALTH STATISTICS 2006

Contents	3
Introduction	7
Part 1. Ten Statistical Highlights in Global Public	Health 9
1. Child mortality: the gap within countries is not closing	
2. Risk factor transition: high prevalence of tobacco use among youth worldwide	11
3. Infant immunization coverage: where are we now?	12
4. Health workforce, health expenditure and disease burden: higher burden, fewer r	esources13

- 5. Cause of death and burden of disease: global epidemic of chronic noncommunicable diseases .. 14

Part 2. World Health Statistics

Health Status: Mortality

Life expectancy at birth (years) Healthy life expectancy (HALE) at birth (years) Probability of dying (per 1 000 population) between age 15 and 60 years (adult mortality rate) Probability of dying (per 1 000 population) under five years of age (under-5 mortality rate) Infant mortality rate (per 1 000 live births) Neonatal mortality rate (per 1 000 live births) Maternal mortality ratio (per 100 000 live births) Deaths due to HIV/AIDS (per 100 000 population per year) Deaths due to tuberculosis (per 100 000 population per year) Age-standardized mortality rate by cause (per 100 000 population) Years of life lost by broader cause of death, all ages (%)

Health Status: Morbidity

HIV prevalence among adults aged 15-49 years (%) Incidence of tuberculosis (per 100000 population per year) Prevalence of tuberculosis (per 100000 population) Number of confirmed poliomyelitis cases



30

21

22

WORLD HEALTH STATISTICS 2006

Table of Contents

Health Service Coverage

One-year-olds immunized with one dose of measles (%) One-year-olds immunized with three doses of diphtheria, tetanus toxoid and pertussis (DTP3) (%) One-year-olds immunized with three doses of Hepatitis B (HepB3) (%) Antenatal care coverage (%) Births attended by skilled health personnel (%) Contraceptive prevalence rate (%) Children under five years of age sleeping under insecticide-treated nets (%) People with advanced HIV infection receiving antiretroviral (ARV) combination therapy (%) Tuberculosis: DOTS case detection rate (%) Children under five years of age with acute respiratory infection and fever (ARI) taken to facility (%) Children under five years of age with diarrhoea who received oral rehydration therapy (ORT) (%) Children under five years of age with fever who received treatment with any antimalarial (%) Children 6-59 months of age who received vitamin A supplementation (%) Births by Caesarean section (%)

34

42

Risk Factors

Children under five years of age stunted for age (%) Children under five years of age underweight for age (%) Children under five years of age overweight for age (%) Newborns with low birth weight (%) Prevalence of adults (15 years and older) who are obese (%) Population with sustainable access to an improved water source (%) Population with sustainable access to improved sanitation (%) Population using solid fuels (%) Prevalence of current tobacco use in adolescents (13-15 years of age) (%) Prevalence of current (daily or occasional) tobacco smoking among adults (15 years and older) (%)

Condom use at higher risk sex in young people aged 15-24 years (%)

4

Table of Contents

3

WORLD HEALTH STATISTICS 2006

Health Systems	50
Human resources for health	50
Physicians; Nurses; Midwives; Dentists; Pharmacists; Public and environmental heal Community health workers; Lab technicians; Other health workers; Health management and support workers	th workers;
Health expenditure ratios	58
Total expenditure on health as percentage of gross domestic product	
General government expenditure on health as percentage of total expenditure on hea	lth
Private expenditure on health as percentage of total expenditure on health	
General government expenditure on health as percentage of total government expend	liture
External resources for health as percentage of total expenditure on health	
Social security expenditure on health as percentage of general government expenditu	ure on health
Out-of-pocket expenditure as percentage of private expenditure on health	
Private prepaid plans as percentage of private expenditure on health	
Health expenditure aggregates	59
Per capita total expenditure on health at average exchange rate (US\$)	
Per capita total expenditure on health at international dollar rate	
Per capita government expenditure on health at average exchange rate (US\$)	
Per capita government expenditure on health at international dollar rate	
Coverage of vital registration of deaths (%)	59
Number of hospital beds (per 10000 population)	59
Inequities in Health	66
Probability of dying per 1000 live births under five years of age (under-5 mortality rate	e)
by place of residence; by wealth quintile; by educational level of mother	
Children under five years stunted for age (%)	
by place of residence; by wealth quintile; by educational level of mother	
Births attended by skilled health personnel (%)	
by place of residence; by wealth quintile; by educational level of mother	
Measles immunization coverage among one-year-olds (%) by place of residence; by wealth quintile; by educational level of mother	
Demographic and Socioeconomic Statistics	70
Population (in thousands)	
Annual population growth rate (%)	
Population in urban areas (%)	
Total fertility rate (per women)	
Adolescent fertility proportion (%)	
Adult literacy rate (%)	
Net primary school enrolment ratio (%)	
Gross national income per capita (international \$)	
Population below the poverty line (% of the population living on less than \$1 a day)	

